



NOT/AU03/01542

REC'D 09 DEC 2003

WIPO

PCT

**PRIORITY
DOCUMENT**

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

Patent Office
Canberra

I, LEANNE MYNOTT, MANAGER EXAMINATION SUPPORT AND
SALES hereby certify that annexed is a true copy of the Provisional specification
in connection with Application No. 2002952720 for a patent by MARS
INCORPORATED as filed on 18 November 2002.



WITNESS my hand this
First day of December 2003

LEANNE MYNOTT
MANAGER EXAMINATION SUPPORT
AND SALES

AUSTRALIA

Patents Act 1990

ORIGINAL

PROVISIONAL SPECIFICATION

Packaged Pet Food With Sliced Meat Analogue

The invention is described in the following statement:

CANNED PET FOOD WITH SLICED MEAT ANALOGUE

FIELD OF THE INVENTION

The invention relates to the field of commercial pet food manufacture. In particular it relates to pet food products packaged in rigid and semi-rigid containers like cans, trays, pouches and the like, that include meat or meat analogue materials. The invention also relates to methods for manufacturing same.

BACKGROUND OF THE INVENTION

Food manufactures, including commercial canned pet food manufactures, are continuously challenged to find ways to present an appetizing and authentic looking food product at minimised raw material costs. One area of particular endeavour has been the goal of producing attractive meat-based products that convey 'human food' aesthetics to the purchaser of premium-branded commercial pet food products.

A product format of particular popularity for its ability to evoke the aesthetics of a human food casserole is the 'chunks in sauce' format. This involves placing chunks of meat, or more commonly meat analogue, in a fluid gravy. The gravy may be transparent or opaque. The aesthetic desirability of such products depends greatly on the appearance of the meat or meat analogue material – its size, shape, texture etc. Whilst some cheaper meat cuts may have found use in pet food caning in the past, now days the 'meat' component of such products is provided by so called meat-analogues, which are substantially cheaper in manufacture than 'real' meat cuts.

The most basic attempts to produce a meat-like 'chunk', or 'meat analogue' have involved the fine grinding of meat by-products such as liver, lungs and other trims obtained from commercial slaughter operations, with cereals and other binders, followed by heat and/or gel or binder setting. The set material may then be cut into desired shapes, such as cubes, and mixed into a canned food product. Such techniques are very well known in the pet food manufacturing and are successfully used for many volume-selling canned pet foods.

However, for some pet food products, in particular the premium and 'super-premium' products, such analogues do not necessarily provide a suitable

product aesthetic. These basic analogues in particular do not present an appearance of premium meat, nor of care in preparation and presentation. Typically, these analogues are formed at very high volume, are cut into roughly cubic shapes and mixed relatively randomly into the canned product. While this may be an acceptable product format of a lower-priced 'simple and hearty' style product, this aesthetic does not tend to impress the buyers of higher-end premium and super-premium pet foods.

One approach that has been taken to provide a suitable analogue for premium canned pet foods is to use cereal-based extruded chunks. Such materials tend to have the desired fibrous internal texture of real meat, due to the nature of the extrusion process, and tend to be less likely to produce cook out. However, cereal-based analogues often do not have the desired innate palatability that is required of premium-branded products.

A superior meat analogue is described in WIPO Patent Document No. WO00/69276, by Effem Foods Pty Ltd. That document discloses an extruded meat analogue of high protein content that has excellent meat-like internal texture and suitable palatability for inclusion in premium pet foods. In particular, this kind of analogue does not produce the cloudy 'cook-out' observed in the traditional analogues.

However, due to its high strength ex-extruder, there may be difficulties in cutting or dicing this material in a sufficiently controlled manner for it to resemble, for example, a carefully prepared diced or sliced piece of steak, carefully shredded chicken meat strings and the like. The shredded product produced by the process described in WO 00/69276 tends to display a range of sizes and shapes that without additional handling would make them unsuitable for high-end, visually appealing pet food products.

Therefore, it is an object of the present invention to provide a premium pet food product that conveys an impression of care in preparation and presentation.

SUMMARY OF THE INVENTION

According to one aspect of the invention, there is provided a packaged pet food product that includes two or more slices of meat or meat analogue material in a sauce or gel, wherein said slices are arranged in a rigid or semi-rigid

container, such as a can or tray, in a stacked or shingled relationship side-by-side that is immediately apparent upon opening of the container.

Preferably, relatively thin slices of substantially consistent appearance and surface size are employed, wherein these are arranged like shingles thereby to display a carefully stacked food presentation.

The use of relatively thin slices of meat analogue in a tray product tends to convey the impression of care in preparation of the food, due to the apparent care that must be used in preparing such items and placing them in the tray. By 'relatively thin' is meant slices that have a thickness of no more than 25% of the smallest dimension of either the length or the width of the analogue material. Even more preferably, the thickness is no more than 15% of the smallest dimension of either the length or the width of the analogue material, as this provides a particularly favourable aesthetic.

In another embodiment, the meat or meat analogue product may consist of a loaf that has been sliced and placed in a pet food tray such that the individual slices remain upright in side-by-side arrangement. The individual slices may in this case be relatively thick.

In yet another embodiment, the packaged pet food product may incorporate slices of different types of meat, eg chicken, pork, beef or meat analogue products, that are interleaved and stacked or shingled in alternative order. Such arrangement will add visual attractiveness to such product, and simultaneously provide the pet with a more varied meat choice.

It will be appreciated by those skilled in the art that the canned pet food may additionally include other food materials, such as vegetables, rice, pasta or other desirable inclusions that will equally be placed in the container in a manner that maximises a visually appealing appearance to the consumer upon opening of the lid.

The sauce or gel incorporated in the pet food product may be based on any one of a number of materials that are well known in the art for this purpose, including but not limited to gelatinized starches such as waxy maize starch, hydrated gums such as carrageenan, locust bean and xanthan, or other materials such as agar agar. It will be appreciated by those skilled in the art that use of the word 'canned' carries reference not only to cylindrical steel cans, but also to other

packages that are capable of containing such foods for the purposes of commercial sterilization, pasturisation, ultra high pressure treatment with chilled distribution and similarly micro-biological deactivation treatments, such as substantially square or rectangular aluminium trays and pouches made from flexible materials.

In a particularly advantageous embodiment, the canned pet food contains a plurality of meat analogue slices as described above, wherein the slices are arranged in a stack of partially overlapping individual slices, and wherein this stack of slices is arranged in the can such that at least part of the majority of each of the individual slices is visible upon opening the can. This added aspect of careful arrangement of the apparently carefully prepared slices serves to further enhance the impression of care in preparation of the pet food product. Preferably the number of slices in the can is between 3 and 20, while particularly favourable results have been observed where the number of slices in the can is between 5 and 10, and preferably where 7 slices are included.

While it will be appreciated that any size chunk may be used to provide a pet food product embodying the invention, provided the above identified arrangement of individual slices and preferred relationship between thickness and overall size is maintained, a particularly advantageous analogue size for incorporation in trays or cans containing approximately 85g – 100g of product is 19-26mm width, 43-52mm length and 2-7mm thickness. Of course larger size trays will allow use of sliced chunks of other sizes.

In another aspect of the invention there is provided a method of manufacturing packaged pet food products, in particular pet food products in a tray with a removable peel-off lid, wherein slices or discretely proportioned pieces of meat or meat analogue product are either individually or jointly placed into the tray in a side-by-side stacked or shingled arrangement that is visually noticeable upon lid removal being effected. Other solid food constituents like vegetables, rice, pasta and similar may preferably be placed or filled into the tray at locations voided by the meat or meat analogue components. A gel or other sauce may be filled into the tray either directly subsequent to meat stacking being effected or after any additional food product has been filled into the tray.

The nature of the invention and other aspects thereof will be further explained using a specific, non-limiting example of a trayed pet food product incorporating relatively thin slices of a meat analogue material according to the invention. The accompanying figures 1a to 2 illustrate different pet food products in accordance with the present invention.

EXAMPLE – PREMIUM DOG FOOD

A beef steak analogue product according to the invention was prepared. The overall formulation of the product is given in Table 1.

Table 1.

Ingredient	mass %
Fibrous Proteinaceous Extruded Chunk	40
Mechanically De-boned Chicken Meat (MDM)	49.98
Binders	3.0
Water	7.00
Red Iron Oxide	0.02

The fibrous extruded material was obtained as per the formulation and process described in WIPO patent document no. WO 00/69276 by Effem Foods Pty Ltd. For this application, it was shredded to an approximate size corresponding to the ranges: height range from 0.5-10mm, width range from 5-30mm, length range from 20-80mm.

The analogue was prepared according to the process flow shown in Figure 1. Firstly, the water, binders, and red iron oxides are mixed in a high-speed liquid mixer. The binders serve to hold the structure of the analogue together, while the iron oxides provide an authentic colour to the analogue. The chicken MDM was ground in a Weiler-type meat grinder having a hole plate size in the range 2-10mm.

Then the mixed liquid, the ground meats and the extruded material were transferred to a horizontal paddle blender and mixed until relatively homogeneous.

This mixture was then filled into steel casings, preferably having a rectangular cross-section of about 50mm by 100mm. It will be appreciated by those skilled in the art that any desirable shape and size may be use. The filling

was accomplished via a vacuum filler of the type commonly used in smallgoods manufacturing. The filled and sealed casings were placed on retort racks and thermally processed in a retort at a temperature of 95°C for approximately 60 minutes. The thermal processing causes the protein matrix present in the mix to denature and thereby bind the extruded chunk. The thermal processing also tends to reduce the likelihood that further material will be expressed by the analogue as it is further processed during the sterilization of the canned products in which it is to be included, causing 'cook-out' cloudiness in the sauce.

After thermal processing, and optional chilled storage, the casing was removed and the analogue material was cut to a size of 19-26mm width, 43-52mm length and 2-7mm thickness. These slices were collected in stacks of seven. These stacks were then laid rolled back at an angle of approximately 45°, in order to present the appearance from above of mutually overlapping layers of sliced meat, as per the slices of a sliced loaf of bread that are allowed to fall over by gravity, ie a shingled appearance.

These 'slumped' stacks were then picked up and placed into an aluminium retort tray of approximately square shape. The approximate size of the tray was 85mm x 85mm x 25mm, the approximate mass of meat analogue added to the tray was approximately 80g (for a 100g tray). The meat analogue covered approximately 75% of the area of the tray base.

Vegetable material was then added to the remaining 25% open space in the tray, in order to provide nutritional cues and further enhance the appearance of the product. This vegetable material was diced to approximately 6mm x 6mm x 6mm, and was selected from carrot, roma beans, yellow capsicum, broccoli and potato. Other suitable vegetable materials may be used if desired. The total vegetable inclusion in the tray was approximately 10-15% by mass.

Separately, a gravy was prepared having a composition given in Table 2.

Table 2.

Ingredient	mass %
Tapioca Starch	3.1

Guar gum	0.8
Water	96.1

This gravy was made up in a high speed liquid mixer of the kind very well-known in the art. This gravy was then added to the tray to make up the mass of product to approximately 100g.

The tray was then sealed and retorted to achieve commercial sterility. Upon opening, the overlapping meat analogue slices resemble premium steak that has been carefully sliced and carefully placed in the tray, giving the overall product a highly pleasing and appetizing appearance that is prized by the customers of premium pet food products.

Figures 1a to 1c show different embodiments of a trayed pet food product 10 manufactured in accordance with the present invention. In the figures, meat analogue slices are identified at 12; it will be noted that the trays contain different types of meat analogues and vegetables in different arrangement. In fig. 1a, thinly sliced meat analogue product (16 slices) resembling thickly sliced ham is used, the side-by-side stacked slices remaining almost vertical in orientation. At 14a and 14b are identified diced carrots and sliced green beans, respectively, arranged in discrete zones to one side of the meat stack. A transparent gel gravy embeds and covers all solid products. In fig. 1b, two stacks of different types of sliced meats, eg beef analogue and chicken meat, are used, whereas green bean strings having a length comparable to the side dimension of the tray are arranged as a visual barrier between the meat stacks 12a and 12b. Again, a clear gel embeds all solid components 12a, 12b and 14. In the embodiment of fig. 1c, 6 slices of meat-loaf-like analogue product 12 are located in the centre of the tray, small capsicum slices 14c are arranged at a terminal end of the meat stack, and carrot sticks 14b and green bean strings 12a are arranged on either side in a visually appealing, multi-colour configuration. It will be noted that the stacked meat loaf slices are inclined and shingled. In the embodiment of figure 1d, a sausage-like shaped meat analogue 12b is thickly sliced and arranged adjoining a side wall of the tray 15, whereas a stack of 9-10 thin slices of another type of meat analogue 12a is placed to one side of the first stack, the small remaining squarish pocket being filled with sliced/diced vegetables 14 in gravy. Fig. 1e


shows an embodiment similar to that of fig. 1d, wherein 2 sausage-like-shaped meat loaf analogue products 12a, 12b are arranged side-by-side and sliced into 4 relatively thick pieces each, the remainder of the tray being again filled with diced/sliced comminuted vegetables 14 in gravy. It will be understood that numerous variations of these arrangements are possible.

DATED this 18th day of November 2002

MARS INCORPORATED

WATERMARK PATENT & TRADE MARK ATTORNEYS
290 BURWOOD ROAD
HAWTHORN VICTORIA 3122
AUSTRALIA

CJS/APR

Figure 2.

1/5



Fig. 1a

BEST AVAILABLE COPY




Fig. 16

3/5




Fig. 1c

BEST AVAILABLE COPY

BEST AVAILABLE COPY

5/5



Fig. 1e

BEST AVAILABLE COPY